

Glazing Catalogue

Tapes

1-2

Putties

3

Silicones & Adhesives

4

Tools

5-7

Fixings & Accessories

8-15

Ventamatics

16

Cat Flaps

17

Spider Crane Hire

18



- Free delivery alongside carriage-paid glass orders
- Free collection from our Trade Counter
- Orders via Courier, £15+VAT delivery

All prices inclusive of VAT

Flexistrip Butyl Tape

Code	Description	Price per roll
Size 12mm x 3mm x 15m		
GZ3W	White	£8.75
GZ3B	Brown	£8.75
GZ3BL	Black	£8.75
Size 15mm x 3mm x 30m		
GZ4	White jumbo	£15.90



- ✓ For installing Single glass and Double Glazed Units into prepared timber windows and doors and steel windows.
- ✓ Excellent finish
- ✓ Can be overcoated immediately

[More info](#)

Firestrip 60 Tape

Code	Description	Price per roll
Size 20mm x 3mm x 15m		
INT15W	White	£31.62
INT15B	Brown	£31.62



- ✓ Firestrip® 60 for glazing semi-insulating and insulating glass into timber fire doors or hardwood timber screens with hardwood beads.

Important: The performance of Firestrip® 60 is dependent on the use of suitable fire-resistant glass and suitable frame design.

[More info](#)

Ceramic Tape

Code	Description	Price per roll
CER3	White 15mm x 3mm x15m	£17.10
CER6	White 20mm x 6mm x15m	£27.04



- ✓ Used in conjunction with popular Certifire CF328 & CF257 documents amongst others.
- ✓ Single sided adhesive on release liner for easy applications
- ✓ For dry-glazing in timber or steel applications where up to 120 mins integrity is required.

Not generally suited to external applications.

Foam Tape

Code	Description	Price per roll
Size 9mm x 3mm x 25m		
FOAM9D	Double sided	£7.20
Size 12mm x 3mm x 25m		
FOAM12S	Single sided	£10.50
FOAM12D	Double sided	£8.75



- ✓ Often used to dry glaze frames where some movement may occur after glazing.
- ✓ Ideal for glazing into green timber.
- ✓ Also suitable for glazing where quick and easy de-glazing is required (single sided tape only)

Duct Tape

Code	Description	Price per roll
Size 50m		
TICKI38	38mm wide	£3.30
TICKI45	45mm wide	£4.50



- ✓ Premium quality duct tape with high weave content.
- ✓ High tack
- ✓ Can be removed without leaving a residue (if removed within 36hrs).

Flat Rubber Gasket

Code	Description	Price per roll
Size 3mm x 38mm x 5m		
5MRUB	Black	£20.74



- ✓ EDPM Rubber Gasket for setting glass floors or aquarium/tank walls.
- ✓ Essential in any installation to prevent hard contact points that could cause damage/breakage to glass. Suitable for straight edge glazing.*

***Bespoke shaped gaskets available on request.**

Multipurpose Putty

Code	Description	Price each
DP1	1kg Natural	£3.07
DP2	2kg Natural	£4.92
DP5	5kg Natural	£11.75
DP10	10kg Natural	£20.90



- ✓ Linseed oil-based glazing putty
 - ✓ Sets hard.
 - ✓ Suitable for external use.
- Not suitable for glazing laminated glass or bedding sealed units.**

[More info](#)

Butyl 66 Glazing Compound

Code	Description	Price each
BU5W	5kg White	£15.80
BU5B	5kg Brown	£15.80
BU10W	10kg White	£30.74



- ✓ For use as part of a bead glazing system for installing sealed units and single glass into timber frames and for bedding glass into steel frames.
- ✓ Internal and external use.

[More info](#)

Heritage Hybrid Polymer

Code	Description	Price each
HERW	White 290ml	£12.76



- ✓ Suitable for glazing Single or Laminated Glass where the appearance of a traditional putty front is required such as restoration and replacement of glazing in period and listed properties.
- ✓ Ideal for glazing heritage units and those with a reduced sightline.

[More info](#)

Low Modulus Silicone

Code	Description	Price each
310ml tube		
LMW	White	£5.56
LMT	Translucent	£5.56
LMB	Brown	£5.56
LMBL	Black	£5.56
Box of 25 tubes		
LMWC	White	£134.50
LMTc	Translucent	£134.50
LMBC	Brown	£134.50
LMBLc	Black	£134.50




[More info](#)

- ✓ For perimeter pointing and sealing around timber, metal and PVCu windows and doors.
- ✓ Superior quality neutral cure, offering good all-round performance and durability in most construction joints.
- ✓ Suitable for perimeter sealing around sealed units.

! Note: When perimeter sealing into timber frames, surfaces should be well-primed, sound and dry. Timbers with high acidic content (oaks, accoya) can leach acids into silicones and ultimately into the perimeter sealing of sealed units. In severe cases, this can lead to premature unit failure.

Mirror Adhesive

Code	Description	Price each
310ml tube		
MIRRMAS	White	£6.88
Box of 25 tubes		
MIRMASC	White	£164.50
Mirror-mount tape		
MIRRTAPE	Tape 1.9mm x 5m	£4.38



- ✓ Compatible with conventional mirror lacquers and acrylic glass
- ✓ Suitable for mounting in the bathroom
- ✓ High final adhesion

Note: Not suitable for applications exposed to splash water, high condensation and UV radiation

- ✓ Excellent adhesion to a wide variety of non-porous surfaces.
- ✓ Quick high-grab
- ✓ Capable of supporting 6mm thick mirrors up to 1m² without the need for mechanical fixings.
- ✓ Can also be used to mount glass splashbacks

!Note: Mirrors and Splashbacks can have sensitive surface finishes. Bonded surfaces must always be well-primed to prevent leaching and contamination of the fitted item. Never bond mirrors or splashbacks onto bare plaster.

Always ensure good ventilation behind mirrors when applying adhesives.



[More info](#)

Glazing Tools

Code	Description		Price each
SHOWV	Wooden Glazing Shovel		£4.20
SHOVP	Plastic Glazing Shovel		£8.10
XPERTMAL	Xpert 16oz Rubber Mallet		£8.52
KNIFEH	Hacking Knife		£12.05
KNIFEP	Premium quality Stiff Putty Knife		£13.36
XPERTCHIS	Xpert 32mm Chisel Knife		£7.94
XPERT10IN1	Xpert 10 in 1 Multi Knife		£9.98
SCRAPER	Razor Blade Scraper		£12.95
BLADES	Heavy Duty Single Edge Razor Blades, 100 pack		£9.50
TAPEM	Trade quality (Class 2) Tape Measure 5mtrs		£8.52
CUTTER17	Toyo TC17 Glass Cutter Brass handle, wide cutting head.		£30.00
PLIERS	Glass Breaking Pliers		£31.20

10 in 1 Multi Tool

Tools
Tools



- 1 Pointed Scraper
- 2 Spreader
- 3 Flat Surface Scraper
- 4 Paint Can Opener
- 5 Roller Cleaner
- 6 Bottle Opener
- 7 Nail/Tack Remover
- 8 Concave Scraper
- 9 Convex Scraper
- 10 Hammer

Code	Price each
XPERT10IN1	£9.98

Glazing Tools

Code	Description	Price each
GAUGE	Bohle Glass Thickness Gauge	£49.32



Code	Description	Price each
VACUUM	C R Laurence S338 Sure-Grip 8" Vacuum Lifter	£60.00



- ✓ Greatest lifting Capacity of any 8" pump-activated vacuum lifter
- ✓ Superior 'press and pump' action feature
- ✓ Convenient vacuum indicator and release
- ✓ Ergonomic handle for comfortable grip
- ✓ Lab-test rated at 68kg Max Lifting capacity


Fixings & Accessories

Code	Description		Price each
MOORES4	Moore's Super-Clip adjustable Mirror Hook set for 4mm glass (4pcs)		£3.95
MOORES6	Moore's Super-Clip adjustable Mirror Hook set for 6mm glass (4pcs)		£3.95
5208210	Bohle Safeflix concealed press button mirror-mounting set for 6mm glass. Max weight 12kg, max area 0.8sqm. Distance from wall 14mm		£6.00
5208228	Bohle Safemax concealed magnetic mirror-mounting set for 6mm glass. Max weight 12kg, max area 0.8sqm.		£9.00
5206011	20mm Flush Point Fixing for 6-8mm glass. Requires a countersunk hole. For flush-mounting mirrors. (1pc) Satin.		£3.90
6000102	Bohle Chrome Dome Head Screw & Washer Pack ¾" screws (4pcs)		£2.96
6000103	Bohle Chrome Dome Head, Screw & Washer Pack 1" screws (4pcs)		£3.06
6000104	Bohle Chrome Dome Head, Screw & Washer Pack 1 ¼" Screws (4pcs)		£3.16

Fixings & Accessories


Code	Description		Price each
6000105	Bohle Chrome Dome Head, Screw & Washer Pack 1 ½” screws (4pcs)		£3.26
60RPX701	W Greenhouse Clips 10 pack		£1.80
60RPX702	Z Greenhouse Clips 10 pack		£1.80
60RPX704	Glazing Sprigs 1oz pack		£1.70
60RPX705	Spring Glazing Clips 10 pack		£1.80
6000501	Glazing/Framing Push Points 25g pack		£3.50
6000503	Panel pins, mild steel 15mm, 50g pack		£2.26
6000504	Panel pins, mild steel 20mm, 50g pack		£2.26
6000505	Panel pins mild steel 25mm, 50g pack		£2.50

Fixings & Accessories

Code	Description		Price each
SHELF	Bohle glass shelf support. 20mm width, chrome-plated With adjustable clamp for 6-10mm glass. Max Load 5kg/pair.		£5.26
6000207 Small	Self adhesive elastic buffer pads for protecting glass when in contact with other surfaces.		£3.25
6000208 Large	Small 7.9mm x 2.2mm Large 12.7mm x 3.5mm 25 peelable pads		£3.76
FILMSAFE	Safety Film for Temporary Glazing Repairs. 450mm x 100 mtrs		£40.98
PADS	Transport pads 18mm x 18mm x 3.2mm thickness. Low tack, peelable. 20,800 per box.		£123.50 / box
CLEANB	Bohle Premium Glass Cleaner 1 Litre		£4.92
IWR360	Industrial white roll. 2 ply. 360 metres/1000 sheets		£18.00

BriteGuard® Pro

Fixings & Accessories



Pre-clean, apply, wipe dry, done!

- ✓ Hydrophobic glass surface spray
- ✓ Makes glass surfaces easy to clean – dirt barely sticks and water rolls off.
- ✓ Ideal for shower doors and balcony glass.
- ✓ Suitable for indoor and outdoor use.
- ✓ Approx. 10m2 coverage per 500ml

Code	Description	Price each
BRITEG	500ml	£48.18



Pressure Clamps for 10mm glass



1-3/32"
(27.7 mm)

Base View



Front View




Rear View



Side View

- ✓ Round type, flat base zinc clamp available in Chrome or Satin Chrome
- ✓ For use in balustrading, screens, windbreaks and much more

Alternative shapes, finishes and thicknesses available on request.



Chrome



Satin Chrome



Code	Description	Price each
CLAMPCH	Chrome	£9.49
CLAMPSC	Satin Chrome	£9.49

Point Fixings / Standoffs

Available in
1-2 working
days

Round Point Fixings & Standoffs


Description	Price
<p>40 or 50mm \emptyset diameters available Wall distances, 25 or 40mm versions available. Minor adjustment possible for panel alignment. Black finish. Internal and external use. 12mm hole fixing for wall anchor fix. Stainless 304. Suitable for 10 – 22mm glass</p> 	<p>From £28.50 + VAT each.</p> <p>Enquire for exact specification and pricing</p>
<p>50mm \emptyset diameter Wall distances 25 or 40mm – minor adjustment possible for panel alignment. Brushed stainless. Internal and external use. 12mm hole fixing for wall anchor fix. Stainless 304. Suitable for 10 – 22mm glass</p> 	<p>From £30+ VAT each.</p> <p>Enquire for exact specification and qty pricing</p>
<p>50mm \emptyset diameter Direct to timber hanger bolt or plain threaded options. Brushed stainless steel. Internal and external use. Standoff height options 13,19,25,38 & 50mm 3/8" – 16 threaded rod Suitable for 10 – 22mm glass</p> 	<p>Kits from £30 + VAT each</p> <p>Enquire for exact specification and qty pricing</p>

Point Fixings / Standoffs

Available to order

Round Point Fixings & Standoffs	
Description	Price
<p>Impact driver tool for setting 3/8"-16 timber bolts</p> 	<p>£10 + VAT</p>
<p>60mm ø diameter Anchor set / M12 threaded. 304 Brushed stainless steel. Internal and external use. 10mm standoff from wall. Suitable for 10 – 25mm glass. Provides greater surface contact area over 50mm dia fixings. Recommended for structural, frameless barriers. Also available in 316 stainless steel and 80mm diameter version.</p> 	<p>From £21.85+ VAT each.</p> <p>Enquire for exact specification and qty pricing</p>

Note: 304 stainless is not for use in coastal or corrosive locations.



Juliet balcony Rails



Anthracite Grey



Satin anodised Aluminium

- ✓ Face fix or reveal fix options
- ✓ Simple, secure & quick mounting
- ✓ Highest security for floor-to-ceiling windows, certified according to DIN 18008-4 (AbP)
- ✓ No handrail required

Application note: Not suitable for use in salty or chlorinated atmospheres.

Juliet Balcony Rails		
Code	Description	Price / set
Face fix, profile height 1100mm		
JUL01	Anthracite, for Glass Thickness 16.76 – 17.52mm	£185
JUL02	Anthracite, for Glass Thickness 20.76 – 21.52mm	£240
JUL03	Aluminium, for Glass Thickness 16.76 – 17.52mm	£185
JUL04	Aluminium, for Glass Thickness 20.76 – 21.52mm	£250
Reveal fix, profile height 1100mm		
JUL05	Anthracite, for Glass Thickness 16.76 – 17.52mm	£185
JUL06	Anthracite, for Glass Thickness 20.76 – 21.52mm	£240
JUL07	Aluminium, for Glass Thickness 16.76 – 17.52mm	£185
JUL08	Aluminium, for Glass Thickness 20.76 – 21.52mm	£240
* Profile heights 900mm & 1000mm available on request		

Vent-a-matics


Code	Description	Price each
Single Glazing – to fit 121mm DIA hole		
V101	Open	£15.76
V102*	Shuttered *available to order on request*	£21.54
V102S	Shuttered with Stormguard	£28.84
Single Glazing – to fit 162mm DIA hole		
V105	Open	£22.80
V106*	Shuttered* available to order on request	£26.22
V106S	Shuttered with Stormguard	£33.12
VSG6	Stormguard – suitable for models 105 & 106	£8.10
Single Glazing – to fit 164mm DIA hole		
VSPB	Static PB ventilator	£7.20
Single Glazing – to fit 219mm DIA hole		
VSXL	Shuttered	£38.88
VSG8	Stormguard – to fit SXL model	£10.00
Double Glazing – to fit 162mm DIA hole & unit width 12-32mm		
V106SDG	Shuttered with Stormguard	£50.86



Open



Shuttered (corded)



Shuttered with Stormguard

Glass Fitting Cat Flaps

Code	Description	Price each
CATM	White, Medium.	£20.52
CATL	White, Large	£27.47



- ✓ Secure double point 4-way lock: in and out, in only, out only or locked
- ✓ Silent action
- ✓ Draught and weather-proof fully brush-sealed flap with magnetic closure
- ✓ Rain-proof seal.
- ✓ For Single and Double Glazing. Self-lining - no minimum thickness.
- ✓ Slimline and minimalist design
- ✓ Easy to install

Medium



Average Cat



Large Cat



Small Dog
2-10 kg

- ✓ Self-lining. Maximum Glass Thickness 32mm (1 1/4").
- ✓ Cut-out size: diameter 223mm (8 3/4"), flap opening size: 145mm width 145mm height
- ✓ Overall size: diameter 245mm (9 5/8")

Large



Average Cat



Large Cat



Small Dog
2-10 kg

- ✓ Self-lining to 50mm (2") thick.
- ✓ Cut-out size: diameter 283mm (11 1/8"), flap opening size: 180mm width 180mm height
- ✓ Overall size: diameter 305mm (12")
- ✓ Suitable for large cats and small dogs up to a 14-inch shoulder height (Yorkshire Terriers, Pekinese, Dachshunds).

Spider Crane Hire



- Up to 17m of reach
- Up to 3.2t lift capacity
- Trained Operators
- Compact design allowing access to enclosed areas & quick deployment
- Tracked all-terrain platform
- Suitable for a wide range of tasks

Need a lift.....?

**Contact us 01233 632245
sales@glassservices.co.uk**

